

www.cloverchemicals.com

### DISINFECTANT SPRAY FOR THE FOOD INDUSTRY

- Bactericidal, fungicidal, yeasticidal, virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the food industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including Candida Albicans and Clostridium Difficile

#### USES

A highly effective disinfectant which can be used on a range of hard surfaces, including general hard surfaces such as floors and walls.

May be used as a disinfectant in the milk and meat industry against a broad range of organisms.

Can also be used to soak equipment (non-metal) such as chopping boards, containers, plastic utensils, etc.

### **DIRECTIONS**

Use undiluted.

Application rate: 50 g/m<sup>3</sup> once or twice daily in general use.

1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly. Apply 'Versan RTU' to the surface to be disinfected. Allow 5 minute contact time (30 minutes for sporicidal action). Wash away with potable water.






Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 24 months.


#### **INGREDIENTS**

Contains: Sodium hypochlorite 0.5% w/w

May fade coloured surfaces. Test on an inconspicuous area first.













### DISINFECTANT SPRAY FOR THE FOOD INDUSTRY


www.cloverchemicals.com


BACTERICIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
1276 1276	Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes
05 EV 13697 13697	Staphylococcus aureus, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes

YEASTICIDAL/FUNGICIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
05 EN 1650	Aspergillus brasiliensis, Candida albicans.	Clean, 20°C, 5 Minutes
PASSED		Dirty, 20°C, 30 Minutes
05 EN	Candida albicans, Aspergillus brasiliensis.	Clean, 20°C, 5 Minutes
13697 A4S9E9		Dirty, 20°C, 5 Minutes

SPORICIDAL EFFICACY PHASE			
TEST	ORGANISMS	TEST CONDITIONS	
95 EN 13704 ASSE	Bacillus cereus, Bacillus subtilis, Clostridium difficile.	Dirty (3,0 g/L bovine albumin + 3,0 ml/L sheep erythrocytes), 20 °C, 30 min	











www.cloverchemicals.com

## DISINFECTANT SPRAY FOR HEALTHCARE

- Bactericidal, fungicidal, yeasticidal, virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the healthcare industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including
   Staphylococcus Aureus and Poliovirus Type 1

#### USES

A highly effective disinfectant which can be used on a range of surfaces, including hard surfaces such as floors and walls, worktops, counters, etc. in hospitals, care homes and other healthcare establishments.

Also effective for instrument disinfection (non-metal).

#### **DIRECTIONS**

Use undiluted.

Application rate: 50 g/m³ once or twice daily in general use.
1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly. Apply 'Versan RTU' to the surface to be disinfected.

Allow 5 minute contact time (15 minutes for action against Parvovirus). Wash away with potable water.





Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 24 months.


#### **INGREDIENTS**

Contains: Sodium hypochlorite 0.5% w/w

May fade coloured surfaces. Test on an inconspicuous area first.













www.cloverchemicals.com

### DISINFECTANT SPRAY FOR VETERINARY HYGIENE

- Bactericidal, fungicidal, yeasticidal, virucidal ready to use spray
- Broad spectrum surface disinfectant for use in the animal care industry
- Sodium hypochlorite based
- Active against a wide range of pathogens including Candida Albicans and Bovine Enterovirus Type 1

#### USES

A highly effective disinfectant which can be used on a range of hard surfaces, including general hard surfaces such as floors and walls.

Also effective for the disinfection of surfaces within vehicles which have been used to transport animals.

#### **DIRECTIONS**

Use undiluted.

Application rate: 50 g/m<sup>3</sup> once or twice daily in general use.

1-2 times/hour in busy areas.

Fields of use: Indoor and/or outdoor.

For surfaces which are heavily soiled, first clean with a degreaser, such as UBIK 2000 and rinse thoroughly.

Apply 'Versan RTU' to the surface to be disinfected. Allow 5 minutes contact time. Wash away with potable water.





Use disinfectants safely. Always read the label and product information before use. Store in a dry frost-free place at 5-30°C and not in direct sunlight. Store in original container. Dispose of as normal industrial waste. The shelf life of this product is 24 months.


### **INGREDIENTS**

Contains: Sodium hypochlorite 0.5% w/w

May fade coloured surfaces. Test on an inconspicuous area first.









750ml





### **DISINFECTANT SPRAY FOR VETERINARY HYGIENE**

www.cloverchemicals.com


BACTERICIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
95 EA 1656 AASSEQ	Enterococcus hirae, Proteus hauseri, Pseudomonas aeruginosa, Staphylococcus aureus.	Clean, 10°C, 1 Minutes (3,0 g/L bovine albumin)  Dirty, 10°C, 5 Minutes (10 g/L skimmed milk)
14349 14349	Staphylococcus aureus, Proteus hauseri, Enterococcus hirae, Pseudomonas aeruginosa.	Clean, 10°C, 5 Minutes (3,0 g/L bovine albumin)  Dirty, 10°C, 5 Minutes (10 g/L skimmed milk)

YEASTICIDAL/FUNGICIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
05 EV 1657 PASSED	Aspergillus brasiliensis, Candida albicans.	Dirty, 10°C, 5 Minutes (10 g/L skimmed milk)

VIRUCIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
14675 14675	bovine enterovirus type 1 - ECBO virus strain LCR-4 (ATCC VR-248)	Dirty, 10°C, 5 Minutes (10 g/L skimmed milk)











## DISINFECTANT SPRAY FOR HEALTHCARE

www.cloverchemicals.com

BACTERICIDAL EFFICACY			
TEST	ORGANISMS	TEST CONDITIONS	
95 EA 1276 94596	Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	
13697 13697	Staphylococcus aureus, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	
95 EA 13727 13780	Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	
14561 14561	Staphylococcus aureus, Enterococcus hirae, Pseudomonas aeruginosa.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	

YEASTICIDAL/FUNGICIDAL EFFICACY			
TEST	ORGANISMS	TEST CONDITIONS	
95 EA 1650 2459EQ	Aspergillus brasiliensis, Candida albicans.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 30 Minutes	
13624 13624	Aspergillus brasiliensis, Candida albicans.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	
13697 13697	Candida albicans, Aspergillus brasiliensis.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 5 Minutes	
14562 14562	Candida albicans, Aspergillus brasiliensis.	Clean, 20°C, 5 Minutes	

VIRUCIDAL EFFICACY		
TEST	ORGANISMS	TEST CONDITIONS
14476 14476	Adenovirus Type 5, Murine norovirus, Poliovirus Type 1.	Clean, 20°C, 5 Minutes  Dirty, 20°C, 30 Minutes
95 EA 14476 ASSE	Parvovirus.	Clean, 40°C, 15 Minutes  Dirty, 40°C, 15 Minutes





